



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/763,621	04/26/2001	Harald Vater	JEK/YATER	8124

23364 7590 03/27/2007
BACON & THOMAS, PLLC
625 SLATERS LANE
FOURTH FLOOR
ALEXANDRIA, VA 22314

EXAMINER

COLIN, CARL G

ART UNIT	PAPER NUMBER
----------	--------------

2136

MAIL DATE	DELIVERY MODE
-----------	---------------

03/27/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09/763,621	04/26/2001	Harald Vater	JEK/YATER
			EXAMINER
			Colin, Carl G
		ART UNIT	PAPER
		2136	20070323


DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The Reply Brief filed on 1/16/2007 by applicant in response to the Examiner's Answer has been considered by the Office and has been entered. In response to Appellant's statement that Examiner misunderstood fig. 3B, it is noted that figure 3B as well as the specification is silent about the disguised hR1 operation itself. There are no steps disclosed in fig. 3B for finding a disguised function hR1 contrarily to Appellant's statement in the Reply Brief on page 1. The only thing that is shown is how the first line (the input) is determined. Response to Appellant's argument that Kocher does not disclose "disguised function which gives the same result as the original function for different data" can be found in the Examiner's Answer filed on 11/13/2006.

NASSER MOAZZAMI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100


3,23,07